BUILT-IN FREEZER 30"

30" OVERLAY BUILT-IN FREEZER



CODE ID

F7IFC30O1-R (RIGHT HINGE)

CODE ID

F7IFC30O1-L (LEFT HINGE)

RIGHT H

RIGHT HINGE



LEFT HINGE



Deep-freezing



Total No Frost



LED lighting



Integrated Installation



Holiday Mode



Ice Maker



Sabbath Mode

Features

Our overlay column freezers are both powerful, elegant and provide commercial grade performance. Custom panels can be installed to provide a completely integrated look with adjacent cabinets and feature a brilliant white aluminum interior with metal bins on full extension stainless glides. All units feature an accessory ice maker, with food preservation being the priority. Combining elegant design and commercial quality, ensures optimal food preservation performance. A dedicated compressor and evaporator provide consistent and precise temperatures throughout.

SPECIFICATIONS

Panel Ready Exterior
Total No Frost
Height adjustable glass shelves
Metal freezer bins on stainless steel glides
Icemaker with ice tray
Luminous white interior
Multilevel LED lighting

OPTIONAL ACCESSORIES

REFHANDPROCOL Sofia Professional Handle Kit


REFHANDISCOL Distinto Handle Kit

fulgor-milano.com FULGOR MILANO

REFRIGERATION

BUILT-IN FREEZER COLUMN







CODE ID	30" OVERLAY BUILT-IN FREEZER F7IFC3001-L (LEFT HINGE) F7IFC3001-R (RIGHT HINGE)	
Finish	Panel Ready Exterior	
PERFORMANCES/CAPACITY		
Annual Energy Usage	598 kWh/yr	
Interior capacity (cbft)	16.87	
FEATURES		
Shelves	2	
Adjustable Door Shelves	2	
Freezer Drawers	4	
LED lighting	•	
Ice Maker	•	
Ice Maker production capacity	2.2 lbs / 24 hrs	
No Frost	•	
DIMENSIONS/WEIGHT		
Width in	30"	761 mm
Height in	83 - 1/2"	2120 mm
Depth without handle in	24"	610 mm
Minimum niche height in	84 - 1/2"	2145 mm
Door clearance in	52 - 5/8"	1338 mm
Door opening angle	100°	
Net Weight	340 lbs	154 kg
POWER / RATINGS (115 V, 60 HZ)		
Watts / Amps	327W - 3A	
Power Cable	Nema 5-15P	
INSTRUCTIONS FOR USE		
Use & Care Manual / Installation Manual	English / French / Spanish	

fulgor-milano.com FULGOR MILANO

NICHE SPECIFICATIONS AND DIMENSIONS



TECHNICAL DATA		
(A) Niche Width	30" (762 mm)	
(B) Unit Width	29" (737 mm)	
(C) Unit Width with lateral frames	30" (761 mm)	



fulgor-milano.com FULGOR MILANO