# Over the Range Microwave Oven

Questions? Call 1-800-944-9044(US)

# **BEFORE YOU BEGIN**

Read these instructions completely and carefully.

- **IMPORTANT** Save these instructions for local inspector's use.
- **IMPORTANT** Observe all governing codes and ordinances.
- Note to Installer Be sure to leave these instructions with the Consumer.
- Note to Consumer Keep these instructions for future reference.
- Skill level Installation of this appliance requires basic mechanical and electrical skills.
- Proper installation is the responsibility of the installer.
- Product failure due to improper installation is not covered under the Warranty.



#### READ CAREFULLY. KEEP THESE INSTRUCTIONS.

A06823461 August 2023

#### CONTENTS

#### General information

3
3
4
4
5
5

#### Step-by-step installation guide

Placement of The Mounting Plate
Removing the Mounting Plate
Finding the Wall Studs6
Determining Wall Plate Location
Aligning the Wall Plate
Installation Types9
A Recirculating 10-13
Attach Mounting Plate to Wall 10
Preparation of Top Cabinet11
Check Blower Plate 11
Mount the Microwave Oven 11–12
Installing or Change the
Charcoal Filter 12-13
Hood Exhaust 14-15
B Outside Back Exhaust 16–19
Preparing Rear Wall for Outside Back Exhaust <b>16</b>
Remove Blower Plate16
Attach Mounting Plate to Wall 17
Preparation of Top Cabinet17
Adapting Microwave Blower for Outside Back Exhaust <b>17-18</b>
Mount the Microwave Oven 19

C Outside Top Exhaust
Attach Mounting Plate to Wall 20
Preparation of Top Cabinet21 Adapting Microwave Blower for Outside top Exhaust
Checking for Proper Damper Operation <b>22</b>
Mount the Microwave Oven 22-23
Adjust the Exhaust Adaptor
Connecting Ductwork
Before You Use Your Microwave24Template Information25

# **IMPORTANT SAFETY INSTRUCTIONS**

This product requires a three-prong grounded outlet. The installer must perform a ground continuity check on the power outlet box before beginning the installation to ensure that the outlet box is properly grounded. If not properly grounded, or if the outlet box does not meet electrical requirements noted

(under ELECTRICAL REQUIREMENTS), a qualified electrician should be employed to correct any deficiencies.



CAUTION: For personal safety, remove house fuse or open circuit breaker before beginning installation to avoid severe or fatal shock injury.

CAUTION: For personal safety, the mounting surface must be capable of supporting the cabinet load, in addition to the added weight of this 63–85 pound (28.5–38.5 kg) product, plus additional oven loads of up to 50 pounds (22.7 kg) or a total weight of 113–135 pounds (51.3–61.2 kg).

CAUTION: For personal safety, this product cannot be installed in cabinet arrangements such as an island or a peninsula. It must be mounted to BOTH a top cabinet AND a wall.

NOTE: For easier installation and personal safety, it is recommended that two people install this product.

IMPORTANT - PLEASE READ CAREFULLY. FOR PERSONAL SAFETY, THIS APPLIANCE MUST BE PROPERLY GROUNDED TO AVOID SEVERE OR FATAL SHOCK.



The power cord of this appliance is equipped with a three-prong (grounding) plug which mates with a standard three-prong (grounding) wall receptacle to minimize the possibility of electric shock hazard from this appliance. You should have the wall receptacle and circuit checked by a qualified electrician to make sure the receptacle is properly grounded.

Where a standard two-prong wall receptacle is encountered, it is very important to have it replaced with a properly grounded three-prong wall receptacle, installed by a qualified electrician.

DO NOT, UNDER ANY CIRCUMSTANCES, CUT, DEFORM OR REMOVE ANY OF THE PRONGS FROM THE POWER CORD. DO NOT USE WITH AN EXTENSION CORD.

#### ELECTRICAL REQUIREMENTS

Product rating is 120 volts AC, 60 Hertz, 15 amps and 1.6 kilowatts. This product must be connected to a seperate and dedicated supply circuit of the proper voltage and frequency. Wire size must conform to the requirements of the National Electrical Code or the prevailing local code for this kilowatt rating. The power supply cord and plug should be brought to a seperate and dedicated 15- to 20- ampere branch circuit single grounded outlet. The outlet box should be located in the cabinet above the microwave oven. The outler box and supply circuit should be installed by a qualifed electrician and conform to the National Electrical Code or the prevailing local code.

#### DAMAGE—SHIPMENT/ INSTALLATION

- If the unit is damaged in shipment, return the unit to the store in which it was bought for repair or replacement.
- If the unit is damaged by the customer, repair or replacement is the responsibility of the customer.
- If the unit is damaged by the installer (if other than the customer), repair or replacement must be made by arrangement between customer and installer.

#### PARTS INCLUDED

#### HARDWARE PACKET

PART	QUANTITY	
- Statement	Wood Screws (¼" x 2")	2
	Toggle Bolts (and wing nuts) (¾6" x 3")	2
	Self-Aligning Machine Screws (¼"-28 x 3¼")	3
and the second	Nylon Grommet (for metal cabinets)	1

You will find the installation hardware contained in a packet with the unit. Check to make sure you have all these parts.

**NOTE:** Some extra parts are included.

PART	QUANTIT	
	Top Cabinet Template	1
	Rear Wall Template	1
INSTALLATION INSTRUCTIONS	Installation Instructions	1
	Use & Care Manual	1
	Separately Packed Grease Filters	2
	Exhaust adaptor	1
(az)	Glass Tray	1
	Turntable Ring	1
For some models	Convection wire rack	1
For some models	Shelf	1
	Charcoal Filter	1

## Tools you will need:

- Tape measure
- Hole saw
- Stud finder or hammer
- Level
- Duct and masking tape
- Scissors

- #1 Phillips screw driver
- Electric drill
- 3/16", 1/2", 5/8" drill bit
- Filler wood blocks for recessed bottom cabinets
- Tin snips



- The space between the cabinets must be 30" (76.2 cm) wide and free of obstructions.
- If you are going to vent your microwave oven to the outside, see Hood Exhaust Section for exhaust duct preparation
- When installing the microwave oven beneath smooth, flat cabinets, be careful to follow the instructions on the top cabinet template for power cord clearance.
- As a guide to installation, see page 26 for Mounting Template Information.
- If the cabinet depth, including the cabinet doors, is more than 13", then the unit must be spaced out from wall using adequate materials supporting 150 lbs to allow proper top vent air exhaust/intake.

# PLACEMENT OF THE MOUNTING PLATE







# 2

## INSTALLATION TYPES (Choose A, B or C)

This microwave oven is designed for adaptation to the following three types of ventilation:

A. Recirculating (Non-Vented Ductless)

B. Outside Back Exhaust (Horizontal Duct)

C. Outside Top Exhaust (Vertical Duct)

**NOTE:** This microwave is shipped assembled for Recirculating. Select the type of ventilation required for your installation and proceed to that section.



NOTE: Read the pages 14-15 only if you plan to vent your exhaust to the outside. If you plan to recirculate the air back into the room, proceed to page 10.

See page 20

#### A RECIRCULATING (Non-Vented Ductless)

#### **INSTALLATION OVERVIEW**

- A1. Attach Mounting Plate to Wall
- A2. Prepare Top Cabinet
- A3. Check Blower Plate
- A4. Mount the Microwave Oven
- A5. Install or change Charcoal
- Filter

#### **IMPORTANT NOTES:**

- Make sure the screws for the blower motor and blower plate are securely tightened when they are reinstalled. This will help to prevent excessive vibration.
- Make sure the motor wiring has been properly routed and secured, and that the wires are not pinched.







Microwave Oven Top

**4** Attach the microwave oven to the top cabinet.





#### INSTALLATION INSTRUCTIONS FOR EXTERNAL EXHAUST DUCTING

**NOTE:** If you need to install ducts, note that the total duct length of  $3^{1}4'' \times 10''(8.2 \times 25.4 \text{ cm})$  rectangular or 5" (12.7 cm)diameter/ 6 " (15.2 cm) diameter round duct

should not exceed 140 equivalent feet (42.7 m).

Outside ventilation requires an EXTERNAL EXHAUST DUCT.Read the following carefully.

**NOTE:** It is important that venting be installed using the most direct route and with as few elbows as possible. This ensures clear venting of exhaust and helps prevent blockages. Also, make sure dampers swing freely and nothing is blocking the ducts.

#### Exhaust connection:

The exhaust adaptor has been designed to mate with a standard  $3^{1}4'' \times 10''$  (8.2 x 25.4 cm) rectangular duct. If a round duct is required, a rectangular-to-round

#### Maximum duct length:

For satisfactory air movement, the total duct length of

 $3\frac{1}{4}$ " x 10" (8.2 x 25.4 cm) rectangular or 5" (12.7 cm) diameter/6" (15.2 cm) diameter round duct **should not** exceed 140 equivalent feet (42.7 m).

Elbows, transitions, wall and roof caps, etc., present additional resistance to airflow and are equivalent to a section of straight duct which is longer than their actual physical size. When calculating the total duct length, add the equivalent lengths of all transitions and adaptors plus the length of all straight duct sections. The chart below shows you how to calculate total equivalent ductwork length using the approximate feet of equivalent length of some typical ducts.

## transition adaptor must be used. d.A 5'' (12.7cm)/ 6'' (15.2cm) diameter duct is acceptable to use.

DUCT PIECES		EQUIVALENT LENGTH	x	NUMBER USED	=	EQUIVALENT LENGTH
	Rectangular-to- Round Transition Adaptor*	5 Ft. (1.5 m)	x	()	=	Ft. or m
	Wall Cap	40 Ft. (12.2 m	) x	( )	=	Ft. or m
	90° Elbow	10 Ft. (3 m)	x	( )	=	Ft. or m
Ø	45° Elbow	5 Ft. (1.5 m)	x	()	=	Ft. or m
	90° Elbow	25 Ft. (7.6 m)	x	( )	=	Ft. or m
	45° Elbow	5 Ft. (1.5 m)	x	( )	=	Ft. or m
	Roof Cap	24 Ft. (7.3 m)	x	( )	П	Ft. or m
	Straight Duct 6" (15.2 cm) Round or 3 <sup>1</sup> /4" x 10"(8.2 x 25.4 cm Rectangular)	1 Ft. (0.3 m)	x	( )	=	Ft. or m
			Total D	Ductwork	I	Ft. or m
	* IMPORTANT: If a rectangul adaptor is used, the botto damper will have to be cu tin spice in order to allow	om corners of the ut to fit, using the	actua	valent lengths of I tests and refle ng performance	ect require	ces are based on ements for good vent hood.

EN-14

tin snips, in order to allow free movement of

the damper.

## **EXTERNAL EXHAUST DUCTING**

#### OUTSIDE TOP EXHAUST (EXAMPLE ONLY)

The following chart describes an example of one possible ductwork installation.

$\langle \rangle$	DUCT PIECES	5	EQUIVALENT LENGTH	x	NUMBER USED	=	EQUIVALENT LENGTH
		Roof Cap	24 Ft. (7.3 m)	x	(1)	=	24 Ft. (7.3 m)
		12 Ft. (3.6 m) Straight Duct (6″/15.2 cm Round)	12 Ft. (3.6 m)	x	(1)	=	12 Ft. (3.6 m)
		Rectangular-to- Round Transition Adaptor*	5 Ft. (1.5 m)	x	(1)	Π	5 Ft. (1.5 m)
		are based on ents for good nt hood.		Total Length	=	41 Ft. (12.5 m)	
	* <b>IMPORTANT:</b> If a rectangular-to-round transition adaptor is used, the bottom corners of the damper will have to be cut to fit, using the tin snips, in order to allow free movement of the damper.						

#### OUTSIDE BACK EXHAUST (EXAMPLE ONLY)

The following chart describes an example of one possible ductwork installation.

0			EQUIVALENT LENGTH*	x	NUMBER USED	=	EQUIVALENT LENGTH
		Wall Cap	40 Ft. (12.2 m	ı)x	(1)	=	40 Ft. (12.2 m)
		3 Ft. Straight Duct (3¼" x 10"/8.2 x 25.4 cm Rectangular)	3 Ft. (0.9 m)	x	(1)	=	3 Ft. (0.9 m)
		90° Elbow	10 Ft. (3 m)	x	(2)	=	20 Ft. (3 m)
	Equivalent lengths of duct pieces are based on actual tests and reflect requirements for goodTotal Length =63 Fiventing performance with any vent hood.						63 Ft. (19.2 m)
NOTE: For back exhaust, care should be taken to align exhaust with space between studs, or wall							

**NOTE:** For back exhaust, care should be taken to align exhaust with space between studs, or wall should be prepared at the time it is constructed by leaving enough space between the wall studs to accommodate exhaust.

## B OUTSIDE BACK EXHAUST (Horizontal Duct)









## C OUTSIDE TOP EXHAUST (Vertical Duct)

#### INSTALLATION OVERVIEW

- C1. Attach Mounting Plate to
- **C2.** Wall Prepare Top Cabinet
- **C3.** Adapting Microwave Blower for Outside Top Exhaust
- C4. Check Damper Operation
- C5. Mount Microwave Oven
- C6. Adjust Exhaust Adaptor
- **C7.** Connect Ductwork

#### **IMPORTANT NOTES:**

- Make sure the screws for the blower motor and blower plate are securely tightened when they are reinstalled. This will help to prevent excessive vibration.
- Make sure the motor wiring has been properly routed and secured, and that the wires are not pinched.







flush against the wall and that the plate is properly centered under the cabinet.

**CAUTION:** Be careful to avoid pinching fingers between the back of the mounting plate and the wall.

**4** Tighten all bolts. Pull the plate away from the wall to help tighten the bolts.

#### C2. USE TOP CABINET TEMPLATE FOR PREPARATION OF TOP CABINET

You need to drill holes for the top support screws, a hole large enough for the power cord to fit through, and a cutout large enough for the exhaust adaptor.



- Read the instructions on the TOP CABINET TEMPLATE.
- Tape it underneath the top cabinet.
- Drill the holes, following the instructions on the TOP CABINET TEMPLATE.

**CAUTION:** Wear safety goggles when drilling holes in the cabinet bottom.

# <section-header>

microwave.





Back of

Microwave



# **BEFORE YOU USE YOUR MICROWAVE**





