

KPF36UAN

Product family
Hood Type
Design
Extraction
Material
Stainless steel type
EAN code
Hood width

Hood Decorative wall hood Chimney Vented Stainless steel Brushed 8017709246235 36 "



Aesthetic

Aesthetics	Portofino	Silkscreen color	Silver
Color	Anthracite	Logo	Applied
Controls			
Control setting	Control knobs	Control knobs	Portofino
No. of controls	2	Controls color	Stainless steel effect
Programs / Funct	ions		
Speed levels		4	
Technical Feature	25		
No. of lights	2	No. of filters	3
Lighting	LED	Anti-grease filters	Stainless steel
Light power	2 W	Vent outlet	5 7/8 "
Light color temperature scale (°K)	4000 °K	Minimum distance from gas cooktop	750 "
Maximum extraction capacity at free mode	577.5 CFM	Minimum distance from electric cooktop	650 "
Motor power	455 W		N/
		Non-return valve	Yes



	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	75

Electrical Connection

Electrical connection	495 W	Frequency (Hz)	60 Hz
rating		Power supply cable	1000 "
Voltage	120 V	length	
voltage	120 V	length	

Also available

Available colors White, Black, Stainless Available colors Steel, Yellow, Green, Red, Orange	Die colors KPF36UWH-BL-X-YW-OG- RD-OR
---	--

Optional accessories

Charcoal filter

FLTK-1





Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary (TT)

Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.